

# BOOTSTRAP 3

---

*Ari Tuhkala*  
22.10.2015

# BEFORE WE BEGIN

---

- Who are we
- Course practicals
- Computer, OS, editor, browser
- Material in english, because Finnish translations are awkward

# WHAT IS BOOTSTRAP

---

- Front-end framework
- Helps to build responsive and mobile first interfaces
- Open-source
- Demo: [www.getbootstrap.com](http://www.getbootstrap.com) - built with Bootstrap
- Built by folks from Twitter

# ADVANTAGES

---

- Speed
  - Basic styling for most HTML elements
- Consistency
  - Ie. grid system
- Resources
- Light-weight (compared to Wordpress)
- Pure HTML, CSS, Javascript etc.
- Compatible with modern browsers
- Customization

# INSTALL

---

- Install options:
  - Download package for local development
  - Bower or NPM package managers
  - Content Deliver Network
- Also possible to compile using Less

# GET STARTED

---

- Source
  - CSS
  - fonts
  - JS
  - IMG
  - etc.
- What are minified files
- Make index.html using basic template or examples

```
bootstrap/
|__ css/
|   |__ bootstrap.css
|   |__ bootstrap.min.css
|   |__ bootstrap-theme.css
|   |__ bootstrap-theme.min.css
|__ js/
|   |__ bootstrap.js
|   |__ bootstrap.min.js
|__ fonts/
|   |__ glyphicons-halflings-regular.eot
|   |__ glyphicons-halflings-regular.svg
|   |__ glyphicons-halflings-regular.ttf
|   |__ glyphicons-halflings-regular.woff
```

# BASIC CSS

---

- Typography
  - Base font-size: 14px and line-height: 1.482
- Paragraphs
- Headings
- Alignment
- Emphasis
- Code
- Block-quote

# TABLES

---

- Basic HTML table: `class="table"`
- Striped background: `class="table table-striped"`
- Table with borders: `class="table table-bordered"`
- Enable hover: `class="table table-hover"`
- Compact table: `class="table-condensed"`
- Responsive with horizontal scroll: wrap table with `<div class="table-responsive">`
- Optional classes for table rows:
  - `<tr class="active"></tr>`
  - `<tr class="success"></tr>`
  - `<tr class="danger"></tr>`

# LISTS

---

Basic HTML lists:

- Unordered
- Ordered
- Definition
- Helper classes:
  - `list-unstyled`
  - `list-inline`

List groups:

- Good for navigation
- Item helper classes:
  - `list-group-item-success`
  - `list-group-item-info`
  - `list-group-item-warning`
  - `list-group-item-danger`

# BASIC PAGE LAYOUT

---

- Jumbotron / header
- Page header
- Navbar
- Container (container-fluid)
- Row > column > content
- Footer

# GRID SYSTEM I

---



Features	Extra small devices	Small devices	Medium devices	Large devices
Bootstrap 3 Grid System	Phones (<768px)	Tablets (≥768px)	Desktops (≥992px)	Desktops (≥1200px)
Max container width	None (auto)	750px	970px	1170px
Grid behavior	Horizontal at all times	Collapsed to start, horizontal above breakpoints		
Class prefix	.col-xs-	.col-sm-	.col-md-	.col-lg-
Max column width	Auto	~62px	~81px	~97px
Gutter width	15px on each side of a column (i.e. 30px)			

# GRID SYSTEM 2

---

- Offsetting
- Nesting
- Hide elements in certain device
  - .visible-xs
  - .visible-sm
  - .visible-md
  - .visible-lg
- Make element visible only in certain device width
  - .visible-xs-\*
  - .visible-sm-\*
  - .visible-md-\*
  - .visible-lg-\*

# FORMS

---

- Three form layouts:
  - Vertical form (default)
  - Horizontal
  - Inline
- Explore different form elements with a little help from Bootstrap documentation

# HELPER CLASSES

---

- Contextual backgrounds
- Center block alignment
- Quick floats
- Clearfix
- Showing and hiding content

# SOME BOOTSTRAP COMPONENTS

---

- Glyphicons (scalable "font")
- Images
- Buttons
- Alerts
- Dropdowns
- Pagination

# NAVIGATION

---

- Basic navbar: `navbar-default`
  - Always visible: `navbar-fixed-top` or `navbar-fixed-bottom`
  - Colors inversed: `navbar-inverse`
- Navigation elements
  - Tabs
  - Pills
  - Stacked pills

# JAVASCRIPT

---

- Transitions are by default on
- Usage via Javascript or data attributes
- jQuery before script!
- Modal
- Carousel

# CUSTOMIZING

---

- Never edit directly Bootstrap framework
- Make new custom CSS-stylesheet
- Override original elements (h1,h2,p etc.)
- Use custom classes
- Use custom ID's

# RESOURCES I

---

- Themes: [startbootstrap.com](http://startbootstrap.com)
- Start Bootstrap Development tools
- Font Awesome
- Bootsnipp
- Bootlint this page (Chrome)
- Bootstrap Magic
- Flat UI
- Browser-sync
- Ratchet (web-applications)

# COURSE PROJECT

---

*Ilkka-webpage with Bootstrap 3.0*